

ТЕХНИЧЕСКА СПЕЦИФИКАЦИЯ

за възлагане на обществена поръчка с предмет:

“Доставка на лекарствени продукти за нуждите на МБАЛНП „Свети Наум” ЕАД,
гр. София” :

I. Изисквания към лекарствените продукти.

1. Лекарствените продукти трябва да отговарят на изискванията на Закона за лекарствените продукти в хуманната медицина (ЗЛПХМ) – трябва да са получили разрешение за употреба или удостоверение за регистрация, издадено по реда на ЗЛПХМ или Регламент /ЕО/ № 726/2004 на Европейския парламент и Съвета /чл. 23, ал. 1 от ЗЛПХМ/ и при доставка да имат сертификат, удостоверяващ, че партидата лекарствен продукт е произведена и контролирана в съответствие с изискванията на разрешението за употреба по реда на ЗЛПХМ. При изтичане на срока на разрешението за употреба/удостоверението за регистрация или при прекратяването им лекарственият продукт може да бъде продаван до изчерпване на наличните количества в страната, но не повече от една година, считано от датата на изтичането, съответно на прекратяването, с изключение на случаите, когато причините за прекратяването са свързани с безопасността на лекарствения продукт.

2. Лекарствените продукти следва да бъдат с държавна регулирана цена, съгласно чл. 261а, ал. 1 от ЗЛПХМ. Те следва да бъдат включени в Позитивния лекарствен списък, актуален към датата на подаване на офертата. Офертната цена на предлаганите лекарствени продукти не може да бъде по-висока от пределната цена на съответното лекарство, утвърдена от Националния съвет по цени и реимбурсиране на лекарствените продукти към Министерството на здравеопазването. Допускат се предложения за генерично еквивалентни лекарствени продукти на включените в Позитивния лекарствен списък – Приложение 2, като в тези случаи предложената цена не може да надвишава референтната на съответния еквивалентен продукт от ПЛС - Приложение 2.

3. Доставяните лекарства следва да отговарят на нормативно установените изисквания за качество и европейски стандарти, а опаковката да съдържа партиден номер, име и адрес на притежателя на разрешението за употреба.

II. Обем на обществената поръчка.

1. Количествата, които са посочени в настоящата техническа спецификация, са „количества до”, т.е. възложителят НЕ Е длъжен да заяви за доставка цялото количество, а има право да заявява количества, съобразно действителните си нужди, но не повече от посоченото. Участниците следва да оферират цялото количество за съответната обособена позиция за която участват.

2. Общата прогнозна стойност на всички лекарствени продукти в настоящата спецификация е в размер на 324 519 (триста двадесет и четири хиляди и петстотин и деветнадесет) лв. без ДДС. Прогнозните стойности по обособени позиции са посочени в таблицата по-долу.

Настоящата техническа спецификация съдържа 285 обособени позиции с лекарствени продукти.

| Номер на Обособена позиция | Анатомо - терапевтичен код /АТС-код/ | Международно непатентно наименование /INN/ | Лекарство на форма | Количество на активното лекарство вещество | | Количество | Прогнозна стойност на обособената позиция |
|----------------------------|--------------------------------------|--|---|--|----|------------|---|
| 1 | A03BA01 | Atropine | solution for injection | 1 | mg | 107 | 84 |
| 2 | A02BA03 | Famotidine | tablets film | 40 | mg | 200 | 24 |
| 3 | A02BA03 | Famotidine | tablets.film | 20 | mg | 1100 | 70 |
| 4 | A02BA03 | Famotidine | Powder and solvent for injection | 20 | mg | 3000 | 5460 |
| 5 | A16AA02 | Ademetionine | powd inj.+s olv | 500 | mg | 10 | 53 |
| 6 | A11GA01 | Ascorbic acid | sol for inj | 100 mg/ml - 5ml | mg | 900 | 693 |
| 7 | B01AA07 | Acenocoumarol | tablets | 4 | mg | 50 | 6 |
| 8 | B05AA01 | Human Albumin | sol.inf | 200 g/l - 100 ml | ml | 60 | 7020 |
| 9 | B05AA06 | Succinylated gelatine . Sodium chloride | solution for infusion | 20 g | ml | 10 | 67 |
| 10 | B05AA07 | Hydroxyethylstarch(Poly(O-2-hydroxyethyl)strch/Sodium chloride/Potassium chloride/Calcium chloride dehydrate/Magnesium chloride hexahydrate/Sodium acetate trihydrate / Sodium acetate trihydrate /L - malic acid) | solution for infusion | 100 mg / ml | ml | 10 | 155 |
| 11 | B01AD02 | Alteplase | powder and solvent for solution for injection | 50 | mg | 6 | 3625 |
| 12 | B05BA01 | Aminoacids | solution for infusion | 100g/l, 500ml x 10 | ml | 100 | 1712 |
| 13 | B05BA01 | Aminoacids | solution for infusion | 50g/l; 500ml x 10 | ml | 100 | 105 |
| 14 | C07AB03 | Atenolol | film coated tablets | 50 | mg | 200 | 10 |
| 15 | C07AB03 | Atenolol | film coated tablets | 25 | mg | 60 | 409 |
| 16 | C01BD01 | Amiodarone | solutio for intravenous infusion | 50 mg/ml-3 ml | mg | 100 | 58 |
| 17 | C01BD01 | Amiodarone | tablets | 200 | mg | 200 | 36 |
| 18 | J01CA04 | Amoxicillin | powder for oral suspension | 250 mg/5 ml - 60 ml | mg | 10 | 15 |
| 19 | J01GB06 | Amikacin | solution for infusion | 5 mg/ml - 100 ml | mg | 2 | 20 |
| 20 | J01GB06 | Amikacin | solution for infusion | 10mg/ml-100ml | mg | 5 | 55 |
| 21 | J01GB06 | Amikacin | solution for infusion | 2.5 mg/ml-100 ml | mg | 5 | 51 |
| 22 | J01GB06 | Amikacin | solution for injection/ infusion | 250 mg/ml - 2 ml | mg | 500 | 1820 |

| | | | | | | | |
|----|---------|--|---|-----------------------|----|-------|------|
| 23 | M03AC04 | Atracurium | solution injection | 25 | mg | 5 | 6 |
| 24 | M03AC04 | Atracurium | solution injection | 50 | mg | 5 | 12 |
| 25 | N05BA12 | Alprazolam | tablet | 0,50 | mg | 13000 | 852 |
| 26 | N05AL05 | Amisulprid | film-coated tablet | 400 | mg | 1300 | 1547 |
| 27 | R03DA05 | Aminophylline | solution for injection | 24 mg/ml - 10 ml | mg | 50 | 103 |
| 28 | B01AC30 | Clopidogrel/ Acetylsalicylic acid | film-coated tablets | 75 mg/ 100 mg | mg | 28 | 19 |
| 29 | A03BB01 | Butylscopolamine | solution for injection | 20 | mg | 120 | 127 |
| 30 | N04AA02 | Biperiden | tablets | 2 | mg | 10000 | 758 |
| 31 | R05CB02 | Bromhexine | solution for injection | 2 mg/ml - 2 ml | mg | 60 | 70 |
| 32 | R05CB02 | Bromhexine | tabl | 8 mg | mg | 20 | 3 |
| 33 | M03BX01 | Baclofen | tablet | 10 | mg | 3000 | 276 |
| 34 | A12AA03 | Calcium gluconate, Calcium Laevulinate | solution for injection | 8,94mg /ml-10 ml | mg | 200 | 420 |
| 35 | B03BA01 | Cyanocobalamin | sol.for inj. | 0,5 | mg | 2000 | 1800 |
| 36 | C02AC01 | Clonidine | tablets | 0,15 | mg | 900 | 26 |
| 37 | C02AC01 | Clonidine | solution for injection | 0,15 | mg | 700 | 553 |
| 38 | J01FA09 | Clarithromycin | film- coated tablets | 500 | mg | 120 | 65 |
| 39 | J01FA09 | Clarithromycin | gran. for oral suspension | 125 mg/ 5 ml - 60 ml | mg | 20 | 221 |
| 40 | J01FA09 | Clarithromycin | granules for oral suspension | 250 mg/5 ml - 60 ml | mg | 20 | 243 |
| 41 | J01DD04 | Ceftriaxone | powder for solution for injection | 1 | g | 2000 | 2080 |
| 42 | J01DD04 | Ceftriaxone | solution for injection | 1 | g | 100 | 104 |
| 43 | J01DB04 | Cefazolin | powder for solution for injection | 2000 | mg | 20 | 34 |
| 44 | J01DD62 | Cefoperazon/ Sulbactam | powder for solution for injection | 1 g/1 g | g | 200 | 1897 |
| 45 | J01MA02 | Ciprofloxacin | tabl. film - coated | 500 | mg | 60 | 21 |
| 46 | J01DD02 | Ceftazidime | powder for solution for injection | 1000 | mg | 10 | 60 |
| 47 | J01DE01 | Cefepime | powder for solution for injection or infusion | 1 | g | 2 | 8 |
| 48 | J01MA02 | Ciprofloxacin hydrochloride | solution for infusion | 200 mg/100ml - 100 ml | mg | 300 | 855 |
| 49 | N03AF01 | Carbamazepine | tablets | 200 | mg | 6000 | 420 |
| 50 | N03AF01 | Carbamazepine | tablets | 300 | mg | 3000 | 387 |
| 51 | N03AF01 | Carbamazepine | tablets | 600 | mg | 500 | 118 |

| | | | | | | | |
|----|---------|----------------------------|--|----------------------------|---------|-------|------|
| 52 | N05AA01 | Chlorpromazine | sol inj | 50 | mg/2ml | 3000 | 2580 |
| 53 | N05AA01 | Chlorpromazine | sol.inj | 50 | mg/ 5ml | 10 | 7 |
| 54 | N05AA01 | Chlorpromazine | sol.inj | 25 | mg/ 5ml | 10 | 9 |
| 55 | N05AH02 | Clozapine | tabl | 25 | mg | 200 | 26 |
| 56 | N05AH02 | Clozapine | tabl | 100 | mg | 200 | 86 |
| 57 | R06AC03 | Chloropyramine | solution for injection | 10 mg/ ml - 2 ml | mg | 80 | 90 |
| 58 | C01AA05 | Digoxin | tablets | 0,25 | mg | 100 | 5 |
| 59 | C01AA05 | Digoxin | sol. Inj./inf | 0.5 mg/2ml | mg | 100 | 87 |
| 60 | C01CA04 | Dopamine Hydrochloride | concentrate for solution for infusion | 40 mg/ml - 5 ml | mg | 100 | 141 |
| 61 | C08DB01 | Diltiazem | tablets | 60 | mg | 100 | 3 |
| 62 | H02AB02 | Dexamethasone | sol inj | 4 | mg | 8000 | 2456 |
| 63 | J01AA02 | Doxycycline | capsule, hard | 100 | mg | 50 | 13 |
| 64 | M01AE17 | Dexketoprofen | solution for injection | 50mg/2 ml | mg | 600 | 900 |
| 65 | N04BC05 | Pramipexole | tablets | 0 18(0 25) | mg | 200 | 32 |
| 66 | N05BA01 | Diazepam | sol.inj. | 10 | mg/2ml | 6000 | 3960 |
| 67 | S01BA01 | Dexamethasone | eye drops, suspension | 1 mg/ml - 5 ml | mg | 5 | 15 |
| 68 | S01CA01 | Dexamethasone, Tobramycin | eye drops suspension | 5 | ml | 5 | 14 |
| 69 | S01CA01 | Tobramycin/ Dexamethasone | eye drops suspension | 3mg/1mg/ml - 5ml | ml | 5 | 10 |
| 70 | S01CA01 | Tobramycin / Dexamethasone | eye ointment | 3 mg/1 mg/g | g | 5 | 24 |
| 71 | A03AD02 | Drotaverine | solution for injection | 40 | mg | 50 | 18 |
| 72 | M01AB05 | Diclofenac | solution for injection | 75 mg/3 ml | mg | 13000 | 8684 |
| 73 | A02BC05 | Esomeprazole | powder for solution for injection/infusion | 40 | mg | 20 | 209 |
| 74 | B01AB05 | Enoxaparin sodium | sol. inj., pre-filled syr | 100 mg/ml-0,4 ml (4000 IU) | mg | 10 | 46 |
| 75 | C09AA02 | Enalapril maleate | tablets | 5 | mg | 20 | 1 |
| 76 | C09AA02 | Enalapril maleate | tablets | 10 | mg | 800 | 48 |
| 77 | C09AA02 | Enalapril maleate | tablets | 20 | mg | 20 | 2 |
| 78 | C01CA24 | Epinephrine | solution for injection | 1mg/ml - 1ml | mg | 100 | 100 |
| 79 | N06AB10 | Escitalopram | film-coated tablet | 20 | mg | 1000 | 660 |
| 80 | N01AX07 | Etomidate | emulsion for injection | 2 mg/ml - 10 ml | mg | 10 | 21 |
| 81 | N05AX12 | Aripiprazole | solution for injection | 7.5 mg / ml | mg/ ml | 20 | 15 |
| 82 | N05AX12 | Aripiprazole | tablets | 15 | mg | 300 | 1133 |
| 83 | J04AK02 | Ethambutol | tabletes | 250 | mg | 100 | 8 |

| | | | | | | | |
|-----|---------|--|------------------------------------|---|--------|------|-------|
| 84 | C03CA01 | Furosemide | solution for injection | 10 mg/ml - 2 ml | mg | 700 | 420 |
| 85 | C03CA01 | Furosemide | tablets | 40 | mg | 200 | 16 |
| 86 | N01AH01 | Fentanyl | solution for injection | 0,10 | mg/2ml | 10 | 2 |
| 87 | N01AH01 | Fentanyl | solution for injection | 0,25 | mg/5ml | 10 | 2 |
| 88 | N05AB02 | Fluphenazine | solution for injection | 25 | mg/ml | 100 | 332 |
| 89 | N05AF01 | Flupentixol dihydrochloride | film-coated tablets | 0,5 | mg | 5000 | 456 |
| 90 | N05AF01 | Flupentixol decanoate | solution for injection | 20 | mg/ml | 80 | 222 |
| 91 | V03AB25 | Flumazenil | solution for injection | 0,1 mg/ml - 5 ml | mg | 5 | 52 |
| 92 | J02AC01 | Fluconazole | solution for infusion | 2 mg/ml - 100 ml | mg | 5 | 95 |
| 93 | J02AC01 | Fluconazole | solution for infusion | 2 mg/ml - 200 ml | mg | 5 | 211 |
| 94 | J06BA02 | Immunoglobulin normal human for intravascular adm | solution for injection | 50 mg / ml - 5 ml | mg | 1000 | 13000 |
| 95 | C05BB56 | Sodium Chloride /Glucose | solution for infusion | 500 | ml | 1300 | 2343 |
| 96 | B05BB02 | Glucose monohydrate (as anhydrous glucose)+sodium chloride | solution for infusion | 5%+0.9%-500ml | ml | 200 | 272 |
| 97 | V06DC01 | Glucose/Sodium chloride | solution for infusion | 50 g/9 g/l - 1000 ml | g | 50 | 53 |
| 98 | B05CX01 | Glucose | solution for injection | 40 % solution for injection 10 ml | ml | 10 | 6 |
| 99 | B05CX01 | Glucose | solution for injection | 25 % solution for injection 10 ml | ml | 10 | 8 |
| 100 | B05CX01 | Glucose | solution for injection | 10 % solution for injection 10 ml | ml | 10 | 8 |
| 101 | B05BA03 | Glucose | solution for infusion | 500 | ml | 50 | 129 |
| 102 | V07AB00 | Glucose | solution for infusion or injection | 100 | ml | 10 | 2 |
| 103 | B05CX01 | Glucose | solution for infusion | Glucose monohydrate 55 g/1000 ml (eq to Glucose anhydrous 50 g /1000 ml) - 500 ml | ml | 50 | 101 |
| 104 | V07AB00 | Glucose | solution for injection or infusion | 500 | ml | 50 | 58 |
| 105 | B05BA03 | Glucose | sol. inf | 1000 | ml | 2 | 5 |

| | | | | | | | |
|-----|---------|--|----------------------------------|------------------------|--------|-------|------|
| 106 | C01DA02 | Glyceryl trinitrate | solution for infusion | 1 mg/ml - 50 ml | mg | 2 | 12 |
| 107 | J01GB03 | Gentamicin | solution for injection | 40 mg/ml- 2 ml | mg | 50 | 14 |
| 108 | J01GB03 | Gentamicin | solution for injection | 40 mg/ ml - 1 ml | mg | 50 | 10 |
| 109 | N03AX12 | Gabapentin | capsule, hard | 100 | mg | 500 | 46 |
| 110 | N03AX12 | Gabapentin | capsule, hard | 300 | mg | 10000 | 2781 |
| 111 | N03AX12 | Gabapentin | capsule, hard | 400 | mg | 500 | 174 |
| 112 | N06DA04 | Galantamine | tablets | 5 | mg | 2000 | 1060 |
| 113 | N06DA04 | Galantamine | solution for injection | 5 | mg/ml | 90 | 179 |
| 114 | B01AB01 | Heparin | sol. Inj | 25000 | IU | 40 | 204 |
| 115 | B05AA07 | Hydroxyethylstarch (Poly (O-2-hydroxyethyl)starch (130/0,4); Sodium acetate trihydrate; Sodium chloride; Potassium chloride; Magnezium chloride hexahydrate) | solution for infusion | 500 | ml | 100 | 964 |
| 116 | C03AA03 | Hydrochlorothiazide | tablets | 25 | mg | 100 | 11 |
| 117 | N05AD01 | Haloperidol | sol.inj. | 5 | mg/ ml | 1500 | 1215 |
| 118 | N05AD01 | Haloperidol | tablet | 1,50 | mg | 5000 | 230 |
| 119 | A10AC01 | Insulin Human | suspention injection | 300 | IU | 10 | 2064 |
| 120 | C01DA08 | Isosorbite dinitrate | tabl. | 10 | mg | 50 | 1 |
| 121 | C01DA08 | Isosorbite dinitrate | Isoket | 5 | mg | 20 | 2 |
| 122 | C01DA08 | Isosorbite dinitrate | prolonged release tablets | 20 | mg | 20 | 2 |
| 123 | J01DH51 | Imipenem / Cilastatin | powder for solution for infusion | 500 mg/ 500 mg | mg | 10 | 140 |
| 124 | J01DH51 | Imipenem / Cilastatin | powder for solution for infusion | 500 mg/ 500 mg - 20 ml | mg | 2 | 17 |
| 125 | J01DH51 | Imipenem / Cilastatin | powder for solution for infusion | 500 mg/500 mg | mg | 2 | 37 |
| 126 | J04AC01 | Isoniazid | tabletes | 100 | mg | 100 | 2 |
| 127 | V08AB05 | Iopromide | solution for injection/ infusion | 370mg/ml-100 ml | mg | 5 | 202 |
| 128 | V08AB05 | Iopromide | solution for injection/ infusion | 370mg/ml-50 ml | mg | 50 | 975 |
| 129 | B03AC02 | Saccharated Iron Oxid | solution for injection | 100 mg | mg | 5 | 48 |
| 130 | B05BA10 | Combinations | emulsion for infusion | 1875 | ml | 2 | 145 |
| 131 | B05BA10 | Combinations | emulsion for infusion | 1250 | ml | 2 | 101 |
| 132 | B05BA10 | Combinations | solution for infusion | 500 | ml | 2 | 15 |

| | | | | | | | |
|-----|-------------------|---|-----------------------------------|------------------|----------|------|------|
| 133 | B05BA10 | Glucose, L-alanine; L-arginine, L-aspartic acid, L-glutamic acid, Glycine, L-histidine, L-isoleucine; L-lysine; L-methionine; L-phenylalanine, L-proline; L-serine; L-threonine; L-tryptophan, L-tyrosine; L-valine; Calcium chloride; sodium glycerophosphate; | emulsion for infusion | 1540 | ml | 10 | 601 |
| 134 | B05BA10 | Glucose, L-alanine, L-arginine, L-aspartic acid, L-glutamic acid, Glycine, L-histidine, L-isoleucine, L-leucine, L-lysine, L-methionine, L-phenylalanine, L-proline, L-serine, L-threonine, L-tryptophan, L-tyrosine, L-valine, Calcium Chloride, Sodium glycerophosphate, Magnesium sulphate, Potassium chloride, Sodium acetate, Purified soybean oil | emulsion for intravenous infusion | 1440 | ml | 10 | 445 |
| 135 | M01AE03 | Ketoprofen | solution for injection | 100 mg/2 ml | mg | 20 | 25 |
| 136 | N01AX03 | Ketamine | solution for injection | 500 | mg/10 ml | 20 | 134 |
| 137 | C01BB01 / N01BB02 | Lidocaine | solution for injection | 20mg/ml-10ml | mg | 20 | 32 |
| 138 | C01BB01 / N01BB02 | Lidocaine | solution for injection | 20mg/ml-2ml | mg | 60 | 40 |
| 139 | N01BB02 | Lidocaine | solution for injection | 20 mg/ml-20 ml | mg | 2 | 2 |
| 140 | C09AA03 | Lisinopril | tablet | 5 | mg | 20 | 1 |
| 141 | C09AA03 | Lisinopril | tablets | 10 | mg | 20 | 2 |
| 142 | C09AA03 | Lisinopril | tablets | 20 | mg | 20 | 4 |
| 143 | J01MA12 | Levofloxacin | solution for infusion | 5 mg/ml - 50 ml | mg | 2 | 29 |
| 144 | J01MA12 | Levofloxacin | solution for infusion | 5 mg/ml - 100 ml | mg | 2 | 65 |
| 145 | N04BA03 | Levodopa / carbidopa entacapone | film-coated tablets | 150 mg / 37.5 mg | mg | 30 | 51 |
| 146 | C01BC04 | Flecainide | capsule, hard | 50 | mg | 20 | 6 |
| 147 | C01CA07 | Dobutamine | solution for infusion | ml | mg | 1 | 9 |
| 148 | C07AA05 | Propranolol | tablets | 40 | mg | 1000 | 78 |
| 149 | N04BC05 | Pramipexole | tablets | 0,25 | mg | 300 | 94 |
| 150 | N02AX52 | Tramadol /Paracetamol | film-coated tablets | 37,5 | mg | 5000 | 1460 |
| 151 | N03AX14 | Levetiracetam | film-coated tablets | 1000 | mg | 10 | 9 |
| 152 | N03AX14 | Levetiracetam | film-coated tablets | 500 | mg | 10 | 5 |
| 153 | N03AX14 | Levetiracetam | film-coated tablets | 250 | mg | 10 | 2 |
| 154 | N03AX18 | Lacosamide | film-coated tablets | 50 | mg | 20 | 24 |
| 155 | N03AX18 | Lacosamide | film-coated tablets | 100 | mg | 20 | 45 |
| 156 | N03AX18 | Lacosamide | film-coated tablets | 150 | mg | 20 | 68 |

| | | | | | | | |
|-----|---------|----------------------------------|---|---------------|----------------|------|-------|
| 157 | N03AX18 | Lacosamide | film-coated tablets | 200 | mg | 20 | 90 |
| 158 | N04BA02 | Levodopa/ Benserazide | tablets | 200 | mg levodopa | 500 | 95 |
| 159 | N04BA02 | Levodopa/ Benserazide | tablets | 100 | mg levodopa | 500 | 48 |
| 160 | N03AX09 | Lamotrigine | tablet | 25 | mg | 3000 | 278 |
| 161 | N03AX09 | Lamotrigine | tablet | 50 | mg | 2000 | 300 |
| 162 | N03AX09 | Lamotrigine | tablet | 100 | mg | 2000 | 580 |
| 163 | N03AX11 | Topiramate | film-coated tablets | 25 | mg | 500 | 104 |
| 164 | N03AX11 | Topiramate | film-coated tablets | 50 | mg | 500 | 208 |
| 165 | N06AX17 | Milnacipran | capsule, hard | 25 | mg | 20 | 9 |
| 166 | N06AX21 | Duloxetine | gastro-resistant capsules hard | 60 | mg | 500 | 1277 |
| 167 | N06AX21 | Duloxetine | gastro-resistant capsules hard | 30 | mg | 1000 | 1301 |
| 168 | N06DA02 | Donepezil | film-coated tablets | 5 | mg | 10 | 5 |
| 169 | N06DX01 | Menantine | film-coated tablets | 10 | mg | 10 | 4 |
| 170 | N07CA03 | Flunarizine | capsule, hard | 5 | mg | 100 | 20 |
| 171 | B01AC04 | Clopidogrel | film-coated tablets | 75 | mg | 10 | 6 |
| 172 | M01AB55 | Diclofenac, Orphenadrine citrate | solution for infusion | 250 ml | ml | 10 | 119 |
| 173 | N06DX01 | Menantine | oral solution | 5 | mg | 10 | 44 |
| 174 | N05AF05 | Zuclopenthixol | solution for injection | 50 | mg/ml | 50 | 171 |
| 175 | A03FA01 | Metoclopramide | solution for injection | 10mg/2ml | mg | 300 | 240 |
| 176 | A10BA02 | Metformin hydrochloride | film-coated tablets | 1000 | mg | 20 | 1 |
| 177 | B05BC01 | Mannitol | solution for infusion | 150g/l-500 ml | mg | 9000 | 23670 |
| 178 | C07AB02 | Metoprolol tartrate | tablets | 50 | mg | 10 | 1 |
| 179 | C07AB02 | Metoprolol tartrate | prolonged release tablets | 100 | mg | 10 | 1 |
| 180 | H02AB04 | Methylprednisolone | Powder and solvent for solution for injection | 15,78 | mg | 1200 | 2604 |
| 181 | H02AB04 | Methylprednisolone | powder and solvent for solution for injection | 40 | mg | 1500 | 4875 |
| 182 | H02AB04 | Methylprednisolone | powder and solvent for solution for injection | 125 | mg | 1500 | 9660 |
| 183 | H02AB04 | Methylprednisolone | powder and solvent for solution for injection | 250 | mg | 7000 | 80710 |
| 184 | H02AB04 | Methylprednisolone | tablets | 4 | mg | 400 | 72 |

| | | | | | | | |
|-----|---------|--|---|------------------------|--------|------|------|
| 185 | J01DH02 | Meropenem | powder for solution for injection or infusion | 500 | mg | 10 | 111 |
| 186 | J01XD01 | Metronidazole | solution for infusion | 500 mg/100 ml - 100 ml | mg | 50 | 52 |
| 187 | M01AC06 | Meloxicam | solution for injection | 15 mg/1,5 ml | mg | 400 | 372 |
| 188 | N02BB02 | Metamizole sodium | solution for injection | 1000 | mg/2ml | 1000 | 290 |
| 189 | N06AX11 | Mirtazapine | film-coated tablets | 30 | mg | 2000 | 220 |
| 190 | N05CD08 | Midazolam | solution for injection | 15 | mg/3ml | 1000 | 2120 |
| 191 | N05CD08 | Midazolam | solution for injection | 1 mg/ml - 5 ml | mg | 50 | 84 |
| 192 | A07AA02 | Nystatin | tabl. | 0,5 | MU | 700 | 133 |
| 193 | B01AB06 | Nadroparin | solution for injection | 3800 | IU | 2300 | 5888 |
| 194 | B01AB06 | Nadroparin | solution for injection | 5700 | IU | 50 | 196 |
| 195 | C08CA05 | Nifedipine | film-coated tablets | 10 | mg | 300 | 12 |
| 196 | C04AE02 | Nicergoline | film-coated tablets | 10 | mg | 30 | 6 |
| 197 | N02AA05 | Oxycodone | modified-release tablets | 10 | mg | 600 | 221 |
| 198 | N02AA05 | Oxycodone | modified-release tablets | 20 | mg | 100 | 75 |
| 199 | N03AF02 | Oxcarbazepine | film-coated tablet | 300 | mg | 200 | 8 |
| 200 | N03AF02 | Oxcarbazepine | film-coated tablet | 600 | mg | 200 | 107 |
| 201 | N05AH03 | Olanzapine | film-coated tablets | 5 | mg | 6000 | 420 |
| 202 | N05AH03 | Olanzapine | film-coated tablets | 10 | mg | 600 | 84 |
| 203 | A03AD01 | Papaverine | solution for injection | 20 | mg | 50 | 27 |
| 204 | A11DB | Thiamine hydrochloride (Vitamin B1)/ Pyridoxine hydrochloride (Vitamin B6)/ Cyanobalamin (Vitamin B12) | film-coated tablets | 100 mg/200 mg/200 mcg | mg | 500 | 103 |
| 205 | A11HA02 | Pyridoxine | solution for injection | 100 | mg | 2000 | 125 |
| 206 | B02BA01 | Phytomenadione | solution for injection | 10 | mg | 50 | 31 |
| 207 | B05XA01 | Potassium chloride | conc.sol.inf. | 150 mg/ml - 10 ml | mg | 1000 | 380 |
| 208 | C01DA05 | Pentaerithryl | tablets | 10 | mg | 50 | 2 |
| 209 | C01BC03 | Propafenone | tabl. Film | 150 | mg | 30 | 8 |
| 210 | C04AD03 | Pentoxifylline | solution for injection | 20 mg/ ml - 5ml | mg | 2000 | 940 |
| 211 | C04AD03 | Pentoxifylline | prolonged release tablets | 400 | mg | 100 | 13 |
| 212 | C04AD03 | Pentoxifylline | film-coated tablets | 100 | mg | 200 | 10 |
| 213 | C04AD03 | Pentoxifylline | prolonged release tablets | 600 | mg | 200 | 62 |

| | | | | | | | |
|-----|---------|---|---|----------------------|----------|-------|-------|
| 214 | D08AG02 | Povidone-iodine | cutaneous solution | 7,5 | g/100g | 10 | 59 |
| 215 | D08AG02 | Povidone-iodine | ointment | 0,1 | g/1g | 50 | 242 |
| 216 | H02AB07 | Prednisone | film-coated tablets | 5 | mg | 20 | 2 |
| 217 | M01AH04 | Parecoxib | powd. and solv. for sol inj | 40 mg | mg | 20 | 212 |
| 218 | M03AC06 | Pipecuronium bromide | powder and solvent for solution for injection | 4 mg | mg | 10 | 29 |
| 219 | N01AX10 | Propofol | emulsion for injection / infusion | 500 | mg/50 ml | 5 | 20 |
| 220 | N01AX10 | Propofol | emulsion for injection / infusion | 200 | mg/20 ml | 100 | 202 |
| 221 | N03AA02 | Phenobarbital | solution for injection | 200 | mg/ 2ml | 200 | 216 |
| 222 | N02BE01 | Paracetamol | solution for infusion | 10 mg / ml - 100 ml | mg | 400 | 944 |
| 223 | N05AX13 | Paliperidone | prolonged-release tablets | 6 | mg | 20 | 130 |
| 224 | N06AB05 | Paroxetine | film-coated tablets | 20 | mg | 1000 | 150 |
| 225 | N06BX03 | Piracetam | film-coated tablets | 1200 | mg | 400 | 92 |
| 226 | N06BX03 | Piracetam | solution for injection | 1000 | mg/5ml | 5000 | 5250 |
| 227 | N06BX03 | Piracetam | solution for injection | 3000 | mg/15 ml | 10000 | 8600 |
| 228 | N07AA02 | Pyridostigmine | tablets | 60 | mg | 3000 | 1647 |
| 229 | R06AD02 | Promethazine | solution for injection | 25 mg/ml - 1 ml | mg | 1000 | 860 |
| 230 | N03AX16 | Pregabalin | hard capsules | 75 | mg | 5000 | 7304 |
| 231 | N05AH04 | Quetiapine | film-coated tablets | 25 | mg | 5000 | 500 |
| 232 | N05AH04 | Quetiapine | film-coated tablets | 200 | mg | 3000 | 600 |
| 233 | A02BA02 | Ranitidine | Film-coated tablets | 300 | mg | 4000 | 560 |
| 234 | B05BB01 | Sodium Chloride , Potassium Chloride , Calcium Chloride | solution for infusion | 1000 | ml | 100 | 2249 |
| 235 | B05BB01 | Sodium Chloride Potassium Chloride Calcium Chloride | solution for infusion | 500 | ml | 5000 | 10700 |
| 236 | J04AB02 | Rifampicin | capsule, hard | 300 | mg | 50 | 16 |
| 237 | N05AX08 | Risperidone | film-coated tablets | 1 | mg | 2000 | 240 |
| 238 | N05AX08 | Risperidone | film-coated tablets | 2 | mg | 2000 | 100 |
| 239 | N05AX08 | Risperidone | film-coated tablets | 3 | mg | 2000 | 720 |
| 240 | N05AX08 | Risperidone | film-coated tablets | 4 | mg | 2000 | 960 |
| 241 | H01BA04 | Terlipressin | solution for injection | 0,1 mg/ml - 2l ml | mg | 20 | 149 |
| 242 | B05XA02 | Sodium hydrogen carbonate | concentrate for solution for infusion | 8,4 g/100 ml - 20 ml | mg | 20 | 24 |
| 243 | B05XA03 | Sodium chloride | solution for injection | 9 mg/ml - 10 ml | ml | 2000 | 340 |

| | | | | | | | |
|-----|---------|---------------------------------|----------------------------------|-------------------------|----|-------|-------|
| 244 | B05BB01 | Sodium chloride | solution for infusion | 100 | ml | 5000 | 3800 |
| 245 | B05BB01 | Sodium chloride | solution for infusion | 0,9% - 500 ml | ml | 15000 | 14100 |
| 246 | B05BB01 | Sodium chloride | solution for infusion | 250 | ml | 15000 | 13350 |
| 247 | C03DA01 | Spirolactone | coat. tabl. | 25 | mg | 300 | 33 |
| 248 | C07AA07 | Sotalol hydrochloride | tablets | 160 | mg | 50 | 9 |
| 249 | J01EE01 | Sulfamethoxazole/Trimethoprim | tablets | 400 mg/80 mg | mg | 20 | 2 |
| 250 | M03AB01 | Suxamethonium | solution for injection | 10 mg/ml - 5 ml | mg | 50 | 109 |
| 251 | N06AB06 | Sertraline | film-coated tablet | 50 | mg | 1500 | 150 |
| 252 | N06AB06 | Sertraline | film-coated tablet | 100 | mg | 1500 | 413 |
| 253 | R03AC02 | Salbutamol | pressured inhalation suspension | 0,1 mg/dose - 200 doses | mg | 10 | 31 |
| 254 | A11DA01 | Thiamine | sol for inj | 40 | mg | 1500 | 1560 |
| 255 | C03EA01 | Triamterene/Hydrochlorothiazide | tablets | 25mg/12,5mg | mg | 200 | 11 |
| 256 | H01BA04 | Terlipressin | solution for injection | 0,1 mg/ml - 2 ml | mg | 50 | 281 |
| 257 | M03BX02 | Tizanidine | tablets | 4 | mg | 2000 | 280 |
| 258 | N02AX02 | Tramadol | capsule, hard | 50 | mg | 1000 | 90 |
| 259 | N02AX02 | Tramadol | solution for injection | 50 mg/ml - 2 ml | mg | 2000 | 1420 |
| 260 | N03AX11 | Topiramate | film-coated tablets | 50 | mg | 1000 | 340 |
| 261 | N03AX11 | Topiramate | film-coated tablets | 25 | mg | 1000 | 170 |
| 262 | N03AX11 | Topiramate | film-coated tablets | 100 | mg | 1000 | 690 |
| 263 | N06AX14 | Tianeptine | coated tablet | 12,5 | mg | 2000 | 820 |
| 264 | S01AA12 | Tobramycin | eye drops solution | 3 mg/ml - 5 ml | mg | 5 | 14 |
| 265 | V08AB05 | Iopromide | solution for injection/infusion | 370mg/ml-100 ml | mg | 10 | 670 |
| 266 | V08AB05 | Iopromide | solution for injection/infusion | 370mg/ml-50 ml | mg | 80 | 1936 |
| 267 | C08DA01 | Verapamil Hydrochloride | film coated tablets | 80 | mg | 500 | 25 |
| 268 | C08DA01 | Verapamil Hydrochloride | prolonged release tablets | 120 | mg | 200 | 16 |
| 269 | C08DA01 | Verapamil | solution for injection | 2,5 mg/ml - 2 ml | mg | 50 | 35 |
| 270 | J01XA01 | Vancomycin | powder for solution for infusion | 1 g | mg | 200 | 2144 |
| 271 | J01XA01 | Vancomycin | powder for solution for infusion | 1000 | mg | 100 | 535 |
| 272 | N03AG01 | Valproic acid | tablet prolong | 500 | mg | 18000 | 4212 |
| 273 | N03AG01 | Valproic acid | tablet prolong | 300 | mg | 3000 | 407 |

| | | | | | | | |
|-----|---------|---------------------|--|----------------|--------------|------|------|
| 274 | N03AG01 | Valproic acid | gastro-resist. tabl | 500 | mg | 1000 | 171 |
| 275 | N03AG01 | Valproic acid | gastro-resist tant capsule, soft | 300 | mg | 200 | 14 |
| 276 | N03AG01 | Valproic acid | gastro-resist tant capsule, soft | 500 | mg | 200 | 22 |
| 277 | N03AG01 | Valproic acid | syrup | 8646 | mg/ 150ml | 100 | 464 |
| 278 | N03AG01 | Sodium Valproate | syrup | 5000 | mg/ 100ml | 150 | 1020 |
| 279 | N03AG01 | Sodium Valproate | powder and solvent for solution for injection | 400 | mg | 500 | 2820 |
| 280 | N03AG01 | Sodium Valproate | solution for injection/inf usion | 100 mg/ml-5 ml | mg | 200 | 900 |
| 281 | N06AX16 | Venlafaxine | prolonged-r elease capsule, hard | 75 | mg | 2000 | 811 |
| 282 | N06AX16 | Venlafaxine | prolonged- release hard capsules | 150 | mg | 2000 | 1019 |
| 283 | N06BX18 | Vinpocetine | tablet | 10 | mg | 500 | 54 |
| 284 | N06BX18 | Vinpocetine | tablet | 5 | mg | 500 | 50 |
| 285 | V07AB00 | Water for injection | solution for injection | 10 | ml | 500 | 100 |

Изготвили, съгласно чл. 10, ал. 2, т. 3, във връзка с чл. 10, ал. 1, т. 3 от Вътрешните правила за планиране, организиране и провеждане на процедури по възлагане на обществени поръчки в МБА ПНП "Св. Николай Багурски" под контрол на изпълнението на сключените договори за обществени п

1. Проф. д-р Г

2. Проф. д-р Замъгелю на

3. Доц. д-р

4. Доц. д-р основател ел. 2 от 3312

5. Проф. д-р

6 Замъгелю на основател

7

8. Главен счетоводител (само за прогноз

ел. 2 от 3312